

PART II - CODE OF ORDINANCES

CHAPTER 30 – UNIFIED DEVELOPMENT ORDINANCE

Article 30-3: Zoning Districts

30-3.D. Residential Base Zoning Districts

30-3.D.3. Single-Family Residential 10 (SF-10) District

SF-10 SINGLE-FAMILY RESIDENTIAL 10 DISTRICT	PURPOSE				
	The Single-Family Residential 10 (SF-10) District is established to accommodate principally single-family detached residential development at low densities, and to accommodate flexibly-designed residential development that provides variable housing types and arrangements that respond to environmental and site conditions. Uses within the district are subject to the design standards in Article 30-5: Development Standards . The district accommodates two- to four-family dwellings designed to appear as single-family detached homes and zero lot line development subject to the requirements of this Ordinance. District regulations discourage any use that substantially interferes with the development of single-family dwellings and that is detrimental to the quiet residential nature of the district. Also allowed are complementary uses usually found in residential zoning districts, such as parks, open space, minor utilities, accessory dwellings of up to 800 square feet in size, schools, and places of worship.				
DIMENSIONAL STANDARDS					
DIMENSIONAL STANDARD	SINGLE- FAMILY DETACHED DWELLINGS	SINGLE- FAMILY ATTACHED DWELLINGS	TWO- TO FOUR- FAMILY DWELLINGS	ALL OTHER PRINCIPAL USES	ACCESSORY STRUCTURES
Lot area per unit, min. (sq. ft.)	10,000	9,000	7,500	10,000	n/a
Lot width, min. (ft.)	75				n/a
Lot coverage, max. (% of lot area)	30				[2]
Height, max. (ft.)	35				25; 15 where abutting a single- family district or use and the setback is less than 10'
Front and corner side setback, min. (ft.) [3]	30 feet or 55 feet from centerline of private streets				Not allowed in front, side, or corner side setbacks
Side setback, min. (ft.) [3]	10				

Rear setback, min. (ft.) [3]	35; 20' when corner side setback is 30' or more		5
Spacing between buildings, min. (ft.)	n/a	20	5
Zero lot line development standards	Zero lot line development shall comply with the maximum gross residential density standards. Setbacks and lot area for lots abutting the perimeter of the development shall meet the district minimums; otherwise no setbacks, lot area, lot coverage, or building spacing requirements shall apply. [4]		

NOTES:

[1] [Reserved].


[2] Accessory structures/use areas shall not exceed 25 percent of the allowable lot coverage. However, with the exception noted in this footnote, accessory structures shall not exceed 1200 square feet in size, and any accessory structure with a footprint over 700 square feet must be set back an additional 5 feet from any lot line. When the accessory structure is adjacent to a business zoning district the additional setback requirement shall not apply and the only size limitation is the 25 percent of the allowed building coverage.

Notwithstanding the foregoing, accessory uses/structures on lots of at least one acre and that exceed the maximize size above shall comply with the footprint and setback requirements of Section 30-4.D.3.w, Accessory uses/structures on large residential lots.

[3] Minimum setbacks for all other principal uses shall be increased by five feet for all building walls 25 feet or more above grade.


[4] Zero lot line development is subject to standards in Section 30-3.B.2 and, on a tract or site of three acres in area or less may require approval of a Neighborhood Compatibility Permit (see Section 30-2.C.21 Neighborhood Compatibility Permit).

**Figure 30-3.D.3.a:
SF-10 Typical Lot Pattern**



**Figure 30-3.D.3.b:
SF-10 Typical Building Form**





(Ord. No. S2011-014, § 1.2, 11-28-2011; Ord. No. S2012-001, Pt. 3, § 3.1, 1-23-2012; Ord. No. S2012-025, § 9, 11-13-2012; Ord. No. S2014-015, § 5, 8-11-2014; Ord. No. S2014-005, § 3, 1-27-2014; Ord. No. S2014-015, § 5, 8-11-2014; Ord. No. S2015-008, § 4, 8-10-2015; Ord. No. [S2021-038](#), § 2, 10/25/2021)

Effective on: 8/10/2015